IRON AGE
EST 1918
OLD SCHOOL TOUGH™

WORK BOOTS 2023




IRON AGE
OLD SCHOOL TOUGH



WORK BOOTS 2023

TABLE OF CONTENTS

GROUNDBREAKER

HEAT RESISTANT • MET GUARD



HAVE WE MET?

GROUNDBREAKER IA5094

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	CRAZY HORSE LEATHER	BROWN	M 7-12,13,14,15 & 16	W 7-12, 13, 14 & 15

NEW



SLIP · OIL · METAL CHIPS · HEAT · ABRASION · CHEMICALS

TOUGHEST · TOUGHER · TOUGH

TYPE	11" PULL-ON WITH CUSHGUARD™ INTERNAL MET GUARD
LINING	MOISTURE WICKING NYLON MESH
INSOLE	BOOTBED™ DUAL-LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	VIBRAM® HEAT RESISTANT RUBBER OUTSOLE
FEATURES	KEVLAR STITCHING • GOODYEAR WELT CONSTRUTION CUSGHUARD™ INTERNAL MET GUARD

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · KEVLAR STITCHING · CUSH GUARD · GOODYEAR WELT · LADDER LATCH · BOOT BED · vibram · HYDROTEX® WATERPROOF

GROUNDBREAKER IA5014

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	LEATHER	BROWN	M 4-12, 13 & 14	W 4-12, & 13

NEW



SLIP · OIL · METAL CHIPS · HEAT · ABRASION · CHEMICALS

TOUGHEST · TOUGHER · TOUGH

TYPE	6" INTERNAL MET GUARD WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	BOOTBED™ DUAL LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	VIBRAM® HEAT RESISTANT RUBBER OUTSOLE
FEATURES	CUSHGUARD™ INTERNAL MET GUARD • KEVLAR STITCHING GOODYEAR WELT CONSTRUCTION

ASTM F2413 · STEEL TOE · ELECTRICAL HAZARD PROTECTION · KEVLAR STITCHING · CUSH GUARD · GOODYEAR WELT · LADDER LATCH · BOOT BED · vibram · HYDROTEX® WATERPROOF

GROUNDBREAKER IA5015

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	LEATHER	BROWN	M 7-12,13,14,15 & 16	W 7-12,13, 14 & 15

NEW



SLIP · OIL · METAL CHIPS · HEAT · ABRASION · CHEMICALS

TOUGHEST · TOUGHER · TOUGH

TYPE	8" EXTERNAL MET GUARD WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	BOOTBED™ DUAL-LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	VIBRAM® HEAT RESISTANT RUBBER OUTSOLE
FEATURES	GOODYEAR WELT CONSTRUCTION • KEVLAR® STITCHING

ASTM F2413 · STEEL TOE · ELECTRICAL HAZARD PROTECTION · KEVLAR STITCHING · EXTERNAL MET GUARD · GOODYEAR WELT · LADDER LATCH · BOOT BED · vibram · HYDROTEX® WATERPROOF

GROUNDBREAKER

HEAT RESISTANT • MET GUARD

GROUNDBREAKER **IA5016**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	LEATHER	BLACK	M 6-12, 13 & 14	W 6-12, & 13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	6" EXTERNAL MET GUARD WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	EVA CUSHION REMOVABLE FOOTBED WITH SPONGE RUBBER HEEL WEDGE
OUTSOLE	RUBBER LUG OUTSOLE
FEATURES	EXTERNAL MET GUARD • GOODYEAR WELT CONSTRUCTION • KEVLAR® STITCHING

ASTM F2413 · STEEL TOE · ELECTRICAL HAZARD PROTECTION · KEVLAR STITCHING · EXTERNAL MET GUARD · GOODYEAR WELT



GROUNDBREAKER **IA5017**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	LEATHER	BROWN	M 4-12, 13 & 14	W 4-12 & 13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	6" EXTERNAL MET GUARD HEAT RESISTANT WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	BOOTBED™ DUAL-LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	VIBRAM® HEAT RESISTANT RUBBER OUTSOLE
FEATURES	EXTERNAL MET GUARD • GOODYEAR WELT CONSTRUCTION KEVLAR® STITCHING • LADDER LATCH DEFINED HEEL

ASTM F2413 · STEEL TOE · ELECTRICAL HAZARD PROTECTION · KEVLAR STITCHING · EXTERNAL MET GUARD · GOODYEAR WELT · LADDER LATCH · BOOT BED · Vibram



GROUNDBREAKER **IA5018**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	LEATHER	DARK BROWN	M 7-12, 13, 14 & 15	W 7-12, 13, 14 & 15

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	SLIP-ON INTERNAL MET GUARD HEAT RESISTANT WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	BOOTBED™ DUAL-LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	VIBRAM® HEAT RESISTANT RUBBER OUTSOLE
FEATURES	CUSHGUARD INTERNAL METATARSAL GUARD QUICK-RELEASE ELASTIC WITH PULL TABS • LADDER LATCH DEFINED HEEL

ASTM F2413 · STEEL TOE · ELECTRICAL HAZARD PROTECTION · CUSH GUARD · GOODYEAR WELT · LADDER LATCH · BOOT BED · Vibram



MORE MET GUARDS

SOLIDIFIER IA5092



TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	CRAZY HORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14

SLIP · OIL · METAL CHIPS · HEAT · ABRASION · CHEMICALS
TOUGHEST · TOUGHER · TOUGH

TYPE	11" PULL-ON WORK BOOT WITH CUSHGUARD™ INTERNAL MET GUARD
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL, CUSHGUARD™ INTERNAL MET GUARD

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · CUSH GUARD · GOODYEAR WELT · BOOT BED · LADDER LATCH

HAULER IA0195



TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	LEATHER	BROWN	M 6-12, 13 & 14	W 6-12 &13

SLIP · OIL · METAL CHIPS · HEAT · ABRASION · CHEMICALS
TOUGHEST · TOUGHER · TOUGH

TYPE	10" WELLINGTON INTERNAL MET GUARD BOOT WITH SIDE ZIPPER
LINING	MOISTURE WICKING NYLON MESH
INSOLE	FOOT FORCE® F2A REMOVABLE FOOTBED
OUTSOLE	PERMABOND™-ATTACHED POLYURETHANE OUTSOLE
FEATURES	CUSH GUARD® INTERNAL MET GUARD, SIDE ZIPPER, LADDER LATCH DEFINED HEEL

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · CUSH GUARD · FOOT FORCE F2A FOOTBED · LADDER LATCH · PERMABOND CONSTRUCTION · SIDE ZIPPER

DOZER IA0163



TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	LEATHER	BROWN	M 6-12, 13 & 14	W 6-12 &13

SLIP · OIL · METAL CHIPS · HEAT · ABRASION · CHEMICALS
TOUGHEST · TOUGHER · TOUGH

TYPE	6" INTERNAL MET GUARD WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	EVA CUSHION REMOVABLE FOOTBED WITH SPONGE RUBBER HEEL WEDGE
OUTSOLE	RUBBER LUG OUTSOLE
FEATURES	CUSHGUARD® INTERNAL MET GUARD • GOODYEAR WELT CONSTRUCTION • KEVLAR®

ASTM F2413 · STEEL TOE · ELECTRICAL HAZARD PROTECTION · CUSH GUARD · KEVLAR STITCHING · GOODYEAR WELT · EVA CUSHION FOOTBED

SOLIDIFIER



SOLIDIFIER **IA5070**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	CRAZY HORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	TWIN GORE WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · GOODYEAR WELT · BOOT BED · LADDER LATCH



SOLIDIFIER **IA5092**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	CRAZY HORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	11" PULL-ON WORK BOOT WITH CUSHGUARD™ INTERNAL MET GUARD
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL, CUSHGUARD™ INTERNAL MET GUARD

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · GOODYEAR WELT · BOOT BED · LADDER LATCH · CUSH GUARD



SOLIDIFIER **IA5093**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	CRAZY HORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	11" PULL-ON WATERPROOF WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL, HYDROTEX® WATERPROOF SYSTEM

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · GOODYEAR WELT · BOOT BED · LADDER LATCH · HYDROTEX® WATERPROOF



SOLIDIFIER **IA5062**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	CRAZY HORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	6" WATERPROOF WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	HYDROTEX® WATERPROOF SYSTEM, GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · GOODYEAR WELT · BOOT BED · LADDER LATCH · HYDROTEX® WATERPROOF



SOLIDIFIER **IA5082**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	CRAZY HORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	8" WATERPROOF WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL, HYDROTEX® WATERPROOF SYSTEM

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · GOODYEAR WELT · BOOT BED · LADDER LATCH · HYDROTEX® WATERPROOF





FIRM UP YOUR FOUNDATION.



SOLIDIFIER **IA5090**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	CRAZY HORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	11" PULL-ON WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · GOODYEAR WELT · BOOT BED · LADDER LATCH

SOFT TOES FOR HARD WORKERS



SOLIDIFIER **IA5064**

TOE	UPPER	COLOR	WIDE SIZES
SOFT	CRAZY HORSE LEATHER	BROWN	W 7-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	6" WATERPROOF WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL, HYDROTEX® WATERPROOF SYSTEM

ASTM F2892 · SOFT TOE · ELECTRICAL HAZARD PROTECTION · GOODYEAR WELT · BOOT BED · LADDER LATCH · HYDROTEX® WATERPROOF



SOLIDIFIER **IA5091**

TOE	UPPER	COLOR	WIDE SIZES
SOFT	CRAZY HORSE LEATHER	BROWN	W 7-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	11" PULL-ON WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED REMOVABLE MEMORY FOAM FOOTBED
OUTSOLE	POLYURETHANE ABRASION RESISTANT OUTSOLE WITH DEFINED HEEL
FEATURES	GOODYEAR WELT CONSTRUCTION, LADDER LATCH DEFINED HEEL

ASTM F2892 · SOFT TOE · ELECTRICAL HAZARD PROTECTION · GOODYEAR WELT · BOOT BED · LADDER LATCH

REINFORCER

WEDGE WORK BOOT


STEEL TOE • WEDGE OUTSOLE



STAND FAST.

REINFORCER IA5061

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	CRAZYHORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14



TYPE	6" WEDGE WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	POLYURETHANE SLIP RESISTANT OUTSOLE
FEATURES	SLIP RESISTANT (F3445 COMPLIANT)

ASTM F2413 · STEEL TOE · SR SLIP RESISTANT ASTM F3445 · ELECTRICAL HAZARD PROTECTION · BOOT BED



REINFORCER IA5081

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	CRAZYHORSE LEATHER	BROWN	M 7-12, 13 & 14	W 7-12, 13 & 14



TYPE	8" WEDGE WORK BOOT
LINING	MOISTURE WICKING LINER FOR COMFORT AND ODOR ABSORPTION
INSOLE	BOOTBED™ DUAL LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	POLYURETHANE SLIP RESISTANT OUTSOLE
FEATURES	SLIP RESISTANT (F3445 COMPLIANT)

ASTM F2413 · STEEL TOE · SR SLIP RESISTANT ASTM F3445 · ELECTRICAL HAZARD PROTECTION · BOOT BED





IMMORTALIZER
CRACK RESISTANT WORK BOOT
WATERPROOF • COMPOSITE TOE

FEATURING

MUCKRAKER™

OUTSOLE CLEANING SYSTEM

A CLEAN OUTSOLE IS A LONG-LASTING OUTSOLE. KEEP YOUR BOOT IN THE GAME LONGER WITH THE NEW MUCKRAKER™ CLEANING SYSTEM. KEEP IT HANDY ON YOUR KEY CHAIN, AND WHEN YOU'VE GOT MUCK IN YOUR LUGS, A FEW SCRAPES IS ALL IT TAKES. IF YOU'RE THIRSTY AT THE END OF THE DAY, IT'LL HELP YOU OPEN A COLD ONE TOO.



1. RAKE OFF MUCK
2. CRACK OPEN A COLD ONE

IMMORTALIZER IA0171



TOE	UPPER	COLOR	WIDE SIZES	HYDROTEX®
COMPOSITE	LIME RESISTANT FULL GRAIN LEATHER	BROWN	W 6-12, 13, 14 & 15	WATERPROOF

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST / TOUGHER / TOUGH

TYPE	6" WATERPROOF WORK BOOT
LINING	MOISTURE WICKING NYLON MESH WITH HYDROTEX® WATERPROOF SYSTEM
INSOLE	BOOTBED™ DUAL LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	DIRECT ATTACHED, EASY CLEAN RUBBER SLIP RESISTANT OUTSOLE WITH POLYURETHANE CUSHION MIDSOLE
FEATURES	CRACK-RESISTING LEATHER, EASY CLEAN OUTSOLE, SCUFF TOUGH HIGH ABRASION TOE

ASTM F2413 · COMP TOE · SLIP RESISTANT ASTM F3445 · BOOT BED · ELECTRICAL HAZARD PROTECTION · CRACK RESISTANT LEATHER · SCUFF TOUGH · MUCKRAKER®

IMMORTALIZER IA0190




TOE	UPPER	COLOR	WIDE SIZES	HYDROTEX®
COMPOSITE	LIME RESISTANT FULL GRAIN LEATHER	BROWN	W 6-12, 13, 14 & 15	WATERPROOF

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST / TOUGHER / TOUGH

TYPE	10" WATERPROOF WELLINGTON
LINING	MOISTURE WICKING NYLON MESH WITH HYDROTEX® WATERPROOF SYSTEM
INSOLE	BOOTBED™ DUAL LAYERED MEMORY FOAM REMOVABLE FOOTBED
OUTSOLE	DIRECT ATTACHED, EASY CLEAN RUBBER SLIP RESISTANT OUTSOLE WITH POLYURETHANE CUSHION MIDSOLE
FEATURES	CRACK-RESISTING LEATHER, EASY CLEAN OUTSOLE, SCUFF TOUGH HIGH ABRASION TOE

ASTM F2413 · COMP TOE · SLIP RESISTANT ASTM F3445 · BOOT BED · ELECTRICAL HAZARD PROTECTION · CRACK RESISTANT LEATHER · SCUFF TOUGH · MUCKRAKER® · NO METAL



TRENCHER

6" WORK BOOT

COMPOSITE TOE • NO METAL

TURN MOUNTAINS INTO MOLEHILLS.

TRENCHER **IA5002**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	LEATHER	BROWN	M 6-12, 13 & 14	W 6-12, 13 & 14

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	6" WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	EVA CUSHION REMOVABLE FOOTBED WITH SPONGE RUBBER HEEL WEDGE
OUTSOLE	EVA CUSHION MIDSOLE WITH RUBBER OUTSOLE
FEATURES	NO METAL

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · NO METAL · EVA CUSION FOOTBED



TRENCHER **IA5007 -- IA507(WOMEN'S)**

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	LEATHER	BLACK	M 4-12, 13 & 14	W 6-12 &13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	6" WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	EVA CUSHION REMOVABLE FOOTBED WITH SPONGE RUBBER HEEL WEDGE
OUTSOLE	EVA CUSHION MIDSOLE WITH RUBBER OUTSOLE
FEATURES	NO METAL

WOMEN'S SIZES
M 6-12, W 6-12

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · NO METAL · EVA CUSION FOOTBED



PERMABOND™ TOUGH CONSTRUCTION

HAULER

WORK BOOT

WATERPROOF • COMPOSITE TOE • NO METAL

ELECTRICAL HAZARD PROTECTION

HYDROTEX® WATERPROOF (IA0160 & IA0180)



PERMABOND™ *THE TOUGHEST BOND* **12 MONTH WARRANTY**

IRON AGE PERMABOND™ CONSTRUCTION IS OUR TOUGHEST REDUNDANT BOOT CONSTRUCTION–WELTED AND DIRECT ATTACHED.

GOODYEAR WELT

POURED PU ATTACHED

FOOT FORCE® F2A REMOVABLE FOOTBED

HAULER IA0160

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	LEATHER	BROWN	M 6-12, 13 & 14	W 6-12 &13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGH · TOUGHER · TOUGHEST

TYPE	6" WATERPROOF WORK BOOT
LINING	MOISTURE WICKING NYLON MESH WITH HYDROTEX® WATERPROOF SYSTEM
INSOLE	FOOT FORCE® F2A REMOVABLE FOOTBED
OUTSOLE	PERMABOND™-ATTACHED POLYURETHANE OUTSOLE
FEATURES	NO METAL, LADDER LATCH DEFINED HEEL, HYDROTEX® WATERPROOF SYSTEM

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · NO METAL · FOOT FORCE F2A FOOTBED · LADDER LATCH · PERMABOND CONSTRUCTION · HYDROTEX® WATERPROOF



HAULER IA0180

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	LEATHER	BROWN	M 6-12, 13 & 14	W 6-12 &13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	8" WATERPROOF WORK BOOT
LINING	MOISTURE WICKING NYLON MESH WITH HYDROTEX® WATERPROOF SYSTEM
INSOLE	FOOT FORCE® F2A REMOVABLE FOOTBED
OUTSOLE	PERMABOND™-ATTACHED POLYURETHANE OUTSOLE
FEATURES	NO METAL, LADDER LATCH DEFINED HEEL, HYDROTEX® WATERPROOF SYSTEM

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · NO METAL · FOOT FORCE F2A FOOTBED · LADDER LATCH · PERMABOND CONSTRUCTION · HYDROTEX® WATERPROOF



HAULER IA0194

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	LEATHER	BROWN	M 6-12, 13 & 14	W 6-12 &13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	11" PULL-ON WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	FOOT FORCE® F2A REMOVABLE FOOTBED
OUTSOLE	PERMABOND™-ATTACHED POLYURETHANE OUTSOLE
FEATURES	NO METAL, LADDER LATCH DEFINED HEEL

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · NO METAL · FOOT FORCE F2A FOOTBED · LADDER LATCH · PERMABOND CONSTRUCTION



HAULER IA0195

TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
COMPOSITE	LEATHER	BROWN	M 6-12, 13 & 14	W 6-12 &13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	10" WELLINGTON INTERNAL MET GUARD BOOT WITH SIDE ZIPPER
LINING	MOISTURE WICKING NYLON MESH
INSOLE	FOOT FORCE® F2A REMOVABLE FOOTBED
OUTSOLE	PERMABOND™-ATTACHED POLYURETHANE OUTSOLE
FEATURES	CUSH GUARD® INTERNAL MET GUARD, SIDE ZIPPER, LADDER LATCH DEFINED HEEL

ASTM F2413 · COMP TOE · ELECTRICAL HAZARD PROTECTION · CUSH GUARD · FOOT FORCE F2A FOOTBED · LADDER LATCH · PERMABOND CONSTRUCTION · SIDE ZIPPER





MORE TOUGH BOOTS

COMPOUND **IA9650 | IA965**(WOMEN'S)



TOE	UPPER	COLOR	WIDE SIZES	EXTRA-WIDE SIZES
COMPOSITE	LEATHER/RUBBER	BLACK & BROWN	W 4-12, 13, 14 & 15	EW 4-12, 13 & 14

WOMEN'S SIZES
W 6-13, EW 6-13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	RUBBER VAMP/LEATHER SHAFT WATERPROOF WORK BOOT
LINING	MOISTURE WICKING NYLON MESH WITH HYDROTEX® WATERPROOF SYSTEM
INSOLE	FOOT FORCE® F2A REMOVABLE FOOTBED
OUTSOLE	SLIP RESISTANT OUTSOLE
FEATURES	LADDER LATCH DEFINED HEEL • HYDROTEX® WATERPROOF SYSTEM NO METAL • SLIP RESISTANT, XTR® BRAND COMPOSITE TOE

ASTM F2413 · COMP TOE · EXTRA ROOM TOE · ELECTRICAL HAZARD PROTECTION · FOOT FORCE F2A FOOTBED · SLIP RESISTANT · LADDER LATCH · HYDROTEX® WATERPROOF

DOZER **IA0163**



TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	LEATHER	BROWN	M 6-12, 13 & 14	W 6-12 &13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS

TOUGHEST TOUGHER TOUGH

TYPE	6" INTERNAL MET GUARD WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	EVA CUSHION REMOVABLE FOOTBED WITH SPONGE RUBBER HEEL WEDGE
OUTSOLE	RUBBER LUG OUTSOLE
FEATURES	CUSHGUARD® INTERNAL MET GUARD • GOODYEAR WELT CONSTRUCTION • KEVLAR®

ASTM F2413 · STEEL TOE · ELECTRICAL HAZARD PROTECTION · CUSH GUARD · KEVLAR STITCHING · GOODYEAR WELT · EVA CUSION FOOTBED

GROUND FINISH **IA5150**



TOE	UPPER	COLOR	MEDIUM SIZES	WIDE SIZES
STEEL	LEATHER	BLACK	M 6-11, 12, 13 & 14	W 6-11, 12 & 13

SLIP
OIL
METAL CHIPS
HEAT
ABRASION
CHEMICALS


TOUGHEST TOUGHER TOUGH

TYPE	6" WORK BOOT
LINING	MOISTURE WICKING NYLON MESH
INSOLE	EVA CUSHION REMOVABLE FOOTBED WITH SPONGE RUBBER HEEL WEDGE
OUTSOLE	EVA CUSHION MIDSOLE WITH RUBBER OUTSOLE
FEATURES	NO METAL ON UPPER


ASTM F2413 · STEEL TOE · ELECTRICAL HAZARD PROTECTION · EVA CUSION FOOTBED

RETAIL MERCHANDISING

WE CAN HELP TOUGHEN UP YOUR SPACE



Double Tough Wall and Header
IAWALL
DIMENSIONS: 14" X 76.5"



Double Tough 2 Sided Tower and Header
IA2ST
DIMENSIONS: 15.8" X 76.5 X 27.6"



Rug
IARUG

CUSTOMIZE YOUR DISPLAY

REQUEST ANY STYLE YOU CARRY–WE'LL SHIP IT OUT TO YOU!



Steel Slat Wall Shelf or Table Topper
IASS
DIMENSIONS: 2" X 12"



Tough Talker that attaches to Shelf and/or Slat Wall
IATT
DIMENSIONS: 13" X 16.5"



Steel Slat Wall Shelf and Tough Talker combined– will fit into a slot wall or stand alone. These items must be ordered separately.

ACCESSORIES



Double Tough 2 Sided Tower with Steel Slat Wall Shelves and Tough Talkers (all pieces must be ordered separately



Skull Cap
IASKULL



Trucker Hat
IAHAT21



Socks
IASOCK



Magnetic Beer Koozie
IAKOOZIE


BRAND PORTAL

IT'S A ONE STOP SHOP FOR ALL OF OUR UP-TO-DATE MATERIALS, INCLUDING:

- Logos
- Brand Standards
- Series Campaigns
- Product photography
- Banners and lifestyle photography
- Videos and other email/ social media marketing assets
- Sell sheets
- Series Cards
- Magazine Advertisements
- Press Releases
- Store Displays
- Promotional Items

We offer custom sized graphics for your store's windows or walls.


Please contact your Territory Manager for more information.




VISIT: https://warson.widencollective.com/portals/fxfzerbd/IronAge-Main

CUSTOM GRAPHICS

POSTERS AND WINDOW CLINGS





IMMORTALIZER WEB BANNERS AVAILABLE FOR DOWNLOAD AT

WARSON.WIDENCOLLECTIVE.COM/PORTALS/PZFULKOR/CAMPAIGN-IRONAGE-UNBREAKABLE









TOUGH TECH

SAFETY

ASTM F2413
MEETS ALL STANDARDS FOR SAFETY FOOTWEAR. YOU KNOW, IF THAT'S SOMETHING YOU CARE ABOUT.

COMPOSITE TOE
LIGHT, AND NON-CONDUCTIVE TO BOTH HEAT AND ELECTRICITY. SOUND GOOD? SOUNDS GOOD.

STEEL TOE
IT'S STEEL. OVER YOUR TOES. IT'S LIKE HAVING STEEL TOES. BECAUSE THE TOE IS MADE OUT OF STEEL.

XTR® BRAND COMPOSITE TOE CAP
BIG SPACE FOR BIG TOES.

ELECTRICAL HAZARD PROTECTION
LIKE A SECOND SKIN. ONE THAT PROTECTS YOU FROM LIVE CIRCUITS AND WIRES.

NO METAL
COMPLETE TOUGHNESS AGAINST ANYTHING CONDUCTIVE

EXTERNAL MET GUARD
PRETTY STRAIGHT FORWARD. IT PROTECTS YOU WHEN YOU DROP THINGS ON YOUR FOOT.

CUSHGUARD™ INTERNAL MET GUARD
DEVASTATINGLY TOUGH. SURPRISINGLY COMFORTABLE. TOP-OF-THE-FOOT PROTECTION THAT DOESN'T GET IN YOUR WAY.

LADDER LATCH DEFINED HEEL
HELPS TURN LADDERS INTO STAIRS. WHEN YOUR BOOT STANDS UP STRAIGHT, SO WILL YOU.

SLIP RESISTANT OUTSOLE
GET A GRIP ON EVEN THE SLICKEST SURFACES. A WIDE SURFACE AREA GIVES YOU THE TRACTION YOU NEED TO STAY ON YOUR FEET.

COMFORT

HYDROTEX® WATERPROOF SYSTEM
MOISTURE WICKING NYLON GETS MOISTURE OUT. A HYDROTEX WATERPROOF MEMBRANE KEEPS IT OUT. ALL OF IT.

SIDE ZIPPER
BECAUSE GETTING YOUR BOOT ON AND OFF SHOULDN'T BE THE TOUGHEST PART OF YOUR JOB.

BOOTBED™ DUAL LAYERED MEMORY FOAM REMOVABLE FOOTBED
REMOVABLE INSOLE CONSTRUCTED WITH OPEN CELL POLYURETHANE AND MEMORY FOAM. IT'S LIKE BREAK-TIME FOR YOUR FEET—ALL THE TIME.

FOOT FORCE® F2A REMOVABLE FOOTBED
A SOFT, MOLDED DUAL DENSITY POLYURETHANE REMOVABLE INSOLE THAT CUSHIONS AND CRADLES YOUR FOOT, AND PROVIDES ADDITIONAL SHOCK ABSORPTION.

DURABILITY

GOODYEAR WELT CONSTRUCTION
THERE'S A REASON THIS IS THE WAY IT'S BEEN DONE FOR OVER A CENTURY. NO SOLE SEPARATION, EVEN IN THE TOUGHEST AND HOTTEST CONDITIONS.

PERMABOND™ CONSTRUCTION
THERE'S TWO WAYS TO PUT A SOLE ON A BOOT—WELTED AND DIRECT-ATTACHED. THIS IS BOTH OF THEM. AND WITH PERMABOND™ TECHNOLOGY WITH A DURABLE POLYURETHANE OUTSOLE, IT'S GUARANTEED TO LAST. WE'RE SO CONFIDENT IN OUR TOUGHEST CONSTRUCTION THAT WE GUARANTEE IT AGAINST SEPARATION OR CRACKING DUE TO NORMAL USE, FOR UP TO ONE YEAR.

KEVLAR® STITCHING

SCUFF TOUGH
OKAY, IT CAN BE SCUFFED, BUT IT'S REALLY, REALLY HARD TO DO. SO KEEP ON KICKING.

VIBRAM® HEAT RESISTANT OUTSOLE
TAKES 4-DIGIT SURFACE HEAT SO YOU DON'T HAVE TO.

SAFETY AND DURABILITY RATINGS EXPLAINED

SLIP
INDICATES PASSAGE OF ASTM F3445 STANDARD, WHICH TESTS THE OUTSOLE ON DRY/WET QUARRY TILE

OIL
INDICATES SLIP RESISTANCE OF OUTSOLE IN THE PRESENCE OF OILY CONDITIONS, SPECIFICALLY KITCHEN ENVIRONMENTS

METAL CHIPS
INDICATES THE SHOE'S PROTECTION OF THE BOTTOM OF THE FOOT FROM PENETRATION BY METAL CHIPS

HEAT
INDICATES HEAT RESISTANCE OF THE OUTSOLE TO A HOT CONTACT, SHOWCASING RESISTANCE AGAINST OUTSOLE MELTING AND DEFORMATION

ABRASION
INDICATES OUTSOLE DURABILITY AND ABILITY TO CONTINUE TO PROTECT OVER TIME AND AGAINST TOUGH TERRAIN

CHEMICALS
INDICATES WHOLE SHOE DURABILITY AND CLEANABILITY AGAINST A VARIETY OF COMMON INDUSTRIAL CHEMICALS

MORE WARSON BRANDS BOOTS

MEETS ASTM F3445 STANDARDS

SCAN TO ORDER

Knapp

K5400 MEN'S
GROUND PATROL

TOE	Composite
COLOR	Black
SIZE/WIDTH	M 7-12, 13 & 14 W 7-12 & 13
TYPE	Waterproof Trail Hiker
UPPER	Leather and Mesh
LINING	Moisture Wicking Nylon Mesh and Waterproof Membrane
INSOLE	EVA Cushion Removable Footbed with Sponge Rubber Heel Wedge
OUTSOLE	EVA Cushion Midsole with Slip Resistant Rubber Traction Outsole. Meets ASTM F3445 Standards
SPECIAL FEATURES	100% Non-Metallic

FEATURES
- ASTM F2413
- Composite Toe
- Electrical Hazard Protection
- Slip Resistant ASTM F3445
- Waterproof
- Metal Free

	SLIP	OIL	METAL CHIPS	HEAT	ABRASION	CHEMICALS
Rating	BEST	BEST	BETTER	GOOD	BEST	BEST



SCAN TO ORDER

GRABBERS

FRICTION
G1120 MEN'S G112 WOMEN'S

TOE Soft COLOR Black

SIZE/WIDTH	MEN'S G1120 M 6-11, 12, 13, 14, 15, 16, 17 & 18 W 6-11, 12, 13, 14, 15, 16, 17 & 18 WOMEN'S G112 M: 6-12 W: 6-12
TYPE	Plain Toe Oxford
UPPER	Leather
LINING	Nylon Mesh
INSOLE	Removable EVA Cushion Footbed with Sponge Rubber Heel Wedge
OUTSOLE	Grabbers Slip Resistant Rubber Bottom and EVA Cushion Midsole Meets ASTM F3445 Standards

	GOOD	BETTER	BEST
SLIP	■	■	■
OIL	■	■	■
METAL CHIPS	■		
HEAT	■		
ABRASION	■	■	■
CHEMICALS	■	■	



AFFIXED
G1240 MEN'S G124 WOMEN'S

TOE Soft COLOR Black

SIZE/WIDTH	MEN'S G1240 M 6-12, 13 & 14 W 6-12 & 13 WOMEN'S G124 M: 6-11 W: 6-11
TYPE	6" Sport Boot
UPPER	Leather
LINING	Nylon Mesh
INSOLE	Removable EVA Cushion Footbed with Sponge Rubber Heel Wedge
OUTSOLE	Grabbers Slip Resistant Rubber Bottom and EVA Cushion Midsole Meets ASTM F3445 Standards
SPECIAL FEATURES	100% Non-Metallic

	GOOD	BETTER	BEST
SLIP	■	■	■
OIL	■	■	■
METAL CHIPS	■		
HEAT	■		
ABRASION	■	■	■
CHEMICALS	■	■	




DANGEROUS. DIRTY.
GLORIOUS.
IRON AGE
EST 1918
OLD SCHOOL TOUGH™
WWW.IRONAGEFOOTWEAR.COM
BEN. EINSTEIN.
BOILERS. ENGINES. PUMPS. FITTINGS.
BRASS. COPPER.